



cofc

Docket No.: 070602-0122

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of	:	Customer Number: 31824
Lawrence K. LAM, et al.	:	Confirmation Number: 1019
Application No.: 10/714,498	:	Group Art Unit: 3662
Filed: November 14, 2003	:	Examiner: Fred H. Mull
Patent No.: 7,009,560	:	
Issued: March 7, 2006	:	
For: ADAPTIVE VARIABLE TRUE TIME DELAY BEAM-FORMING SYSTEM AND METHOD	:	

**Certificate**

OCT 13 2006

**of Correction**

Mail Stop Certificate of Correction  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322**

Sir:

In reviewing the above-identified patent, printing errors were discovered therein requiring correction in order to conform the Official Record in the application.

The errors noted are set forth on the two attached copies of form PTO-1050 Rev. 2-93 in the manner required by the Commissioner's Notice.

The changes requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice. Accordingly, Applicants request issuance of the Certificate of Correction.


OCT 10 2006

Application No. 10/714,498

Please charge any shortage in fees due in connection with the filing of this paper to Deposit  
Account 502203 and please credit any excess fees to such deposit account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP



Mark J. Itri

Registration No. 36,171

18191 Von Karman Ave., Suite 500  
Irvine, CA 92612-7108  
Phone: 949.851.0633 MJJ:wrj  
Facsimile: 949.851.9348  
**Date: October 10, 2006**

**Please recognize our Customer No. 31824  
as our correspondence address.**

ORC 398254-1.070602.0122

**OCT 16 2006**

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,009,560  
 DATED : March 07, 2006  
 INVENTOR(S) : Lawrence K. LAM, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### IN THE SPECIFICATION:

Column 7, line 41, "angel" should read --angle--.

Column 15, line 29, " $\{+j\phi_o+j\pi\tau_2f+j\phi_2\}=$ " should read -- $\{+j\phi_o+j2\pi\tau_2f+j\phi_2\}=$ --.

Column 15, line 33, Add "or", before " $a_2*\exp$ ";  
 and, " $\{+j\phi_o+j\pi\tau_3f+j\phi_3\}=$ " should read -- $\{+j\phi_o+j2\pi\tau_3f+j\phi_3\}=$ --.

Column 16, line 13, " $(\tau_2-\tau_2)$ " should read -- $(\tau_2-\tau_1)$ --.

Column 16, line 16, "show" should read --shown--.

Column 18, line 25, " $\Delta\Sigma=1.4682$  nsec, should read -- $\Delta\tau=1.4682$  nsec,--.

Column 18, line 29, " $a_3 \exp \{j2\pi(\tau_3-\tau_2)\Delta_2\}$ " should read -- $a_3 \exp \{j2\pi(\tau_3-\tau_2)\Delta f_2\}$ --.

Column 18, line 30, " $\Delta f_{2=25.5}$ " should read -- $\Delta f_2=25.5$ --.

Column 18, line 31, " $\phi_o=22.50$ ,  $a_2=0.5$ , and  $a_3=0.76$ "  
 should read -- $\phi_o=22.5^\circ$ ,  $a_2=0.5$ , and  $a_3=0.76$ --.

Column 18, lines 40-41, " $\tau_{2=2.25}$  nsec,  $f_1=2200.5$  MHz, and  $f_2=2275.5$  MHz"  
 should read -- $\tau_2=2.25$  nsec,  $f_1=2200.5$  MHz, and  $f_2=2275.5$  MHz--.

### IN THE CLAIMS

Claim 7, column 23, line 36, "form" should read --from--.

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,009,560  
 DATED : March 07, 2006  
 INVENTOR(S) : Lawrence K. LAM, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### IN THE SPECIFICATION:

Column 7, line 41, "angel" should read --angle--.

Column 15, line 29, " $\{+j\phi_o+j\pi\tau_2f+j\phi_2\}=$ " should read -- $\{+j\phi_o+j2\pi\tau_2f+j\phi_2\}=$ --.

Column 15, line 33, Add "or", before " $a_2*\exp$ ";  
 and; " $\{+j\phi_o+j\pi\tau_3f+j\phi_3\}=$ " should read -- $\{+j\phi_o+j2\pi\tau_3f+j\phi_3\}=$ --.

Column 16, line 13, " $(\tau_2-\tau_2)$ " should read -- $(\tau_2-\tau_1)$ --.

Column 16, line 16, "show" should read --shown--.

Column 18, line 25, " $\Delta\Sigma=1.4682$  nsec, should read -- $\Delta\tau=1.4682$  nsec,--.

Column 18, line 29, " $a_3 \exp \{j2\pi(\tau_3-\tau_2)\Delta_2\}$ " should read -- $a_3 \exp \{j2\pi(\tau_3-\tau_2)\Delta f_2\}$ --.

Column 18, line 30, " $\Delta f_{2=25.5}$ " should read -- $\Delta f_2=25.5$ --.

Column 18, line 31, " $\phi_o=22.50$ ,  $a_2=0.5$ , and  $a_3=0.76$ "  
 should read -- $\phi_o=22.5^\circ$ ,  $a_2=0.5$ , and  $a_3=0.76$ --.

Column 18, lines 40-41, " $\tau_{2=2.25}$  nsec,  $f_{1=2200.5}$  MHz, and  $f_{2=2275.5}$  MHz"  
 should read -- $\tau_2=2.25$  nsec,  $f_1=2200.5$  MHz, and  $f_2=2275.5$  MHz--.

### IN THE CLAIMS

Claim 7, column 23, line 36, "form" should read --from--.